Invivofectamine® 3.0 Reagent

invitrogen

				by Thermo Fisher Scientific
Pub. Part No. 1000324		41	Pub. No. MAN0013651	Rev. A.0
	Package Contents	Catalog Number IVF3001 IVF3005	Amount 10 reactions 50 reactions	
	Storage Conditions		e® 3.0 Reagent can underg v cycles without loss of ac	
	Required Materials	 siRNA duplex (at 2.4 mg/mL in DNase/RNase-free water) Phosphate-Buffered Saline (PBS) pH 7.4 (Cat. no. 10010-23) DNase/RNase-Free Distilled Water (Cat. no. 10977) 		
	Timing	Preparation: 10 minutes Incubation: 30 minutes		
	Product Description	Invivofectamine® 3.0 Reagent is an animal-origin-free lipid based <i>in vivo</i> RNAi transfection reagent designed for systemic siRNA delivery through tail vein injection.		
	Important Guidelines	vivo Purity Stea animal use for i Use a dose of 1 This dose corres	n Vivo siRNA duplexes or lath RNAi® siRNA duplexen vivo RNAi experiments. mg/kg as a starting point sponds to 200 µL of a 0.1-r 0-g mouse (i.e. 10 µL/g).	s formulated for for experiments.

Visit our product page for additional

information and protocols. For support,

visit www.lifetechnologies.com/support.

Injection Techniques: General Concerns

Handle animals and conduct experiments according to national regulations and approvals by the local experimental ethics committee. All persons handling animals should be properly trained by the local facility. Weigh the animals prior to injection (200 µL standard injection volume; all calculations shown for a 20-g mouse, adjust volume accordingly for all other weights), and maintain a body-weight record over the course of the experiment. Use a mouse restraining device and/or a tail veiner (Braintree Scientific) to ensure successful injection of your Invivofectamine® 3.0-siRNA solution

Intravenous Injection

- Restrain the mouse with a restraining device. Use a tail veiner to better visualize
 the tail.
- For better visualization and dilation of the vein, warm the vein to ~37°C using a water bath or a heat lamp. Rotate the tail slightly to locate the vein.
- 3. Disinfect the injection site using an alcohol swab.
- 4. Insert the needle at a slight angle and inject slowly (20–40 μ L/second) while watching for clearing of the blood. If resistance increases and a slight bulge appears in the tail, remove the needle and repeat the process proximal to the previous injection site.
- After completing the injection, remove the needle and apply pressure to the injection site for ~5 seconds.

Limited product warranty

Life Technologies Corporation and/or its affiliate(s) warrant their products as set forth in the Life Technologies' General Terms and Conditions of Sale found on Life Technologies' website at www. lifetechnologies.com/termsandconditions. If you have any questions, please contact Life Technologies at www.lifetechnologies.com/support.

Important licensing information

These products may be covered by one or more Limited Use Label Licenses. By use of these products, you accept the terms and conditions of all applicable Limited Use Label Licenses.

Disclaimer

TO THE EXTENT ALLOWED BY LAW, LIFE TECHNOLOGIES AND/OR ITS AFFILIATE(S) WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, INDIRECT, PUNITIVE, MULTIPLE OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM THIS DOCUMENT. INCLUDING YOUR USE OF IT.


© 2015 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified.



Online

Invivofectamine 3.0 Reagent Complexation Protocol

The following procedure outlines preparation of 1 mL of a 0.1-mg/mL complex in PBS starting with siRNA solutions having a final concentration of ≤ 0.1 mg/mL.



For support, visit www.lifetechnologies.com/support.