

●							INT-PS-NBR-E
							A0
Product Specification for Nitrile Gloves-EN							3/4
							2016-5-2
Weight 4.0g							
Size	XS	S	M	L	XL	Inspection level	AQL
mm Finger thickness	0.11±0.03					S-2	4.0
mm Palm thickness	0.08±0.03						
mm Cuff thickness	0.07±0.03						
Physical Characters							
XS, For all sizes: S, M, L, XL XS, S, M, L, XL							
Phase	Item	Standard Values			Inspection level		AQL
Before aging	FOB	median≥6.0 N			N=13		N/A
After aging							
Pin holes							
XS, For all sizes: S, M, L, XL XS, S, M, L, XL							
	Standard				Inspection level	AQL	
Freedom from holes	No water leakage				G-1	1.5	
Visual inspection							
XS, S, M, L, XL For all sizes: XS, S, M, L, XL							
Item	Classification				Inspection level	AQL	
Visual inspection	Critical defect				S-4	1.0	
	Major defect					2.5	
	Minor Defect					4.0	

Product Specification for Nitrile Gloves-EN			2016-5-2
Powder-free Residue : XS, S, M, L, XL For all sizes: XS, S, M, L, XL			
项目 Item	标准值 Values	Inspection level	接收限 AQL
粉量 Power	Max. 2. 0mg	N=5	N/A
7. Others The product meets the standard of EN455-3 、 EN455-4, and the shelf life is 5 years.			